

Journey ^{SHY1 & SHY2}
Signe Hytte
2018



Journey^{SHY1}

Signe Hytte

2018



W: 18 cm / 7 in
D: 26 cm / 10 in

Product description

Table lamp

Environment

Indoor

Material

Mouth-blown satinised opal glass, steel and textile cord.

Production process

The shade is made of mouth blown satinised opal glass and the base is made of laser cut and welded steel.

Dimensions

W: 18 cm / 7 in
H: 24 cm / 9 in
D: 26 cm / 10 in

Weight

1.6 kg

Voltage

220-240V - 50Hz

Light source

4.2W LED
CRI >90
Colour temperature 2000K-3000K
Replaceable LED can be purchased at &Tradition.

Cord length

200 cm / 79 inch
Black textile cord

Dimmability

Dimmer on base

Certifications



Spare Parts

LED
Glass

Impact

Uses glass and steel which are highly recyclable materials able to be repurposed in another production cycle.

Manufacturer



Produced in PRC by Nine United China Ltd

Cleaning Instructions

Please see our [Maintenance & Care instructions here](#)

→ Stock item

Black, Silk Grey, Steel Blue



→ Black



→ Silk Grey



→ Steel Blue

Journey^{SHY2}

Signe Hytte

2018



W: 18 cm / 7 in
D: 24 cm / 9 in

H: 26 cm / 10 in

Product description

Wall lamp

Environment

Indoor

Material

Mouth-blown satinised opal glass and steel.

Production process

The shade is made of mouth-blown satinised opal glass and the base is made of laser cut and welded steel.

Dimensions

W: 18 cm / 7 in
H: 26 cm / 10 in
D: 24 cm / 9 in

Weight

1.2 kg

Voltage

220-240V - 50Hz

Light source

G9 Max 5 Watt LED
Bulb not included.

Cord length

200 cm 79 inch
Black textile cord

Dimmability

Dimmer on base

Certifications

CE UK CA IP20 

Spare Parts

Glass

Impact

Uses glass and steel which are highly recyclable materials able to be repurposed in another production cycle.

Manufacturer

Produced in PRC by Nine United China Ltd

Cleaning Instructions


Please see our [Maintenance & Care instructions here](#)

→ Stock item

Black, Silk Grey, Steel Blue



→ Black



→ Silk Grey



→ Steel Blue