



Scribe series

Designed by Studio Finna, Finland

The elongated Scribe pendants have a cool and industrial look but feature a soft and comfortable light created by the replaceable LED. The design allows the light to evenly fill out the entire bottom surface and gently illuminate your kitchen counter, dining table, or office setting. You can also arrange the lamps in angular clusters for an eye-catching effect.

Meet the designer Studio Finna







20-139-03

Scribe Pendant 170 cm



Specifications

Country of origin	Energy classification	Width	Length	Height	LED
China	E	8 cm	170 cm	17 cm	Yes
Dimmable	Light source included	Burning hours	Lumen	Kelvin	Hz
No	Yes	30,000 h	117 lm	3,000 k	60 Hz
IP Rating	Classification	Ceiling cap dimensions	Producer	The parcel's measurements	
20 IP	Class II	1.80 cm 5 cm	Nine United Scandinavia A/S	The parcel's measurements 1: 0.04 m3, 6.2 kg (D 12.0 cm, W 176.0 cm, H 21.0 cm))	

20-139-03

Scribe Pendant 170 cm



Energy classification

Burning hours 30,000 h Width Lumen 117 lm 8 cm Kelvin Length 170 cm 3,000 k Height Hz 60 Hz 17 cm IP Rating LED 20 IP Dimmable Classification Class II No

The parcel's measurements

The parcel's measurements 1: 0.04 m3, 6.2 kg (D 12.0 cm, W 176.0 cm, H 21.0 cm))

Light source included

Ceiling cap dimensions

1.80 cm 5 cm

Producer

Nine United Scandinavia A/S

20-139-01

Scribe Pendant 70 cm



Energy classification

Burning hours 30,000 h Width Lumen 8 cm 108 lm Length Kelvin 70 cm 3,000 k Height Hz 50 Hz 17 cm Cord IP Rating 3 m Textile cord 20 IP LED Classification Yes Class II

Dimmable No

Light source included

Yes

Ceiling cap dimensions 1.80 cm 5 cm

Replaceable lightsource

Producer

Nine United Scandinavia A/S

The parcel's measurements

The parcel's measurements 1: 0.02 m3, 2.4 kg (D 12.0 cm, W 76.0 cm, H 21.0 cm))

20-139-02

Scribe Pendant 130 cm



Energy classification

Burning hours 30,000 h Width Lumen 8 cm 111 lm Length Kelvin 130 cm 3,000 k Height 60 Hz 17 cm Cord IP Rating 3 m Textile cord 20 IP LED Classification Class II Yes

Replaceable lightsource Dimmable

Light source included

Yes

Ceiling cap dimensions

1.80 cm 5 cm

Producer

Nine United Scandinavia A/S

The parcel's measurements

The parcel's measurements 1: 0.03 m3, 5.0 kg (D 12.0 cm, W 136.0 cm, H 21.0 cm))

20-134-02

Scribe Wall Lamp



Length 31 cm

Height 40 cm Cord 2.50 m

Yes, if the bulb is dimmable and if your electrical system allows it

Light source included

Watt 25 W Socket

E14 Hz 50 Hz

IP Rating 20 IP

Classification Class II

Switch position On wall base

Replaceable lightsource

Yes Producer

Nine United Scandinavia

A/S

The parcel's measurements 1: 0.02 m3, (D 35.0 cm, W 13.0 cm, H 44.5 cm))

The parcel's measurements

The parcel's measurements

The parcel's measurements 1: 0.03 m3,

(D 36.0 cm, W 16.5 cm, H 47.5 cm))

20-134-01

Scribe Table Lamp



Shade width

5 cm Base width 8 cm Width 8.50 cm Height

41 cm Cord

LED No

No

Watt 25 W Socket E14 Hz 50 Hz 20 IP

2.50 m Textile cord Class II

Dimmable Yes, if the bulb is dimmable and if your electrical system

Light source included

IP Rating Classification

Switch position On lamp base

Recommended light source

E14 max 25W Replaceable lightsource

Producer

Nine United Scandinavia

Socket

The parcel's measurements

The parcel's measurements 1: 0.03 m3,

(D 38.0 cm, W 11.0 cm, H 72.0 cm))

20-134-03

Scribe Floor Lamp



Width 22 cm Height

133 cm Cord 3 m

Yes, if the bulb is dimmable and if your electrical system allows it

Light source included

Watt 25 W

E14 50 Hz IP Rating 20 IP Classification Class II

Switch position On cord

Replaceable lightsource

Producer

Nine United Scandinavia

Materials and surfaces

