



In collaboration with Sunbrella, one of the leading brands in fabric for outdoor upholstery, we have handpicked a selection of high-performing, durable and beautiful outdoor textiles.



1010

Manufacturer	Sunbrella upholstery
Price Group	Outdoor 1
Composition	100% Sunbrella® acrylic
Width	140 (EN 1773)
Weight	290 g/m2 ±5%
Roll length	50
Environment	Non PFAS, Water-Repellent & Stain-Proof
Spray Test	5 (ISO 4920)
Fastness to rubbing	Wet: 5, Dry: 5 (ISO 105 - X12)
Lightfastness outdoor	4-5 (ISO 105 B04 1000h)
Fastness to washing	5 (ISO 105 C06)
Piling	4 (ISO 129452)

NATTÉ

Natté combines timeless sophistication with exceptional durability. Its soft, flecked surface and subtle tones bring a natural elegance to any setting. Made from 100% Sunbrella acrylic, the braided weave is water-repellent, stain-resistant, and highly fade-resistant, making it perfect for both outdoor use.

Material Guide Natté



Material Guide Natté




SAVANE

Savane is a richly textured jacquard fabric with an irregular weave that enhances seats and cushions with its natural elegance. Available in vivid, nuanced tones, the 100% Sunbrella acrylic fabric is water-repellent, stain-resistant, and easy to maintain, offering durability and refined beauty.

Manufacturer	Sunbrella upholstery
Price Group	Outdoor 2
Composition	100% Sunbrella® acrylic
Width	140 (EN 1773)
Weight	430 g/m2 ±5%
Roll length	40
Environment	Non PFAS, Water-Repellent & Stain-Proo
Spray Test	5 (ISO 4920)
Fastness to rubbing	Wet: 5, Dry: 5 (ISO 105 - X12)
Lightfastness outdoor	4-5 (ISO 105 B04 1000h)
Fastness to washing	5 (ISO 105 C06)
Piling	5 (ISO 129452)

Material Guide Savane





8

WANDER

Wander draws inspiration from mineral elements to create warm, inviting spaces. Its textured faux-uni design, crafted from 100% Sunbrella acrylic, is perfect for seating designs, combining a soft jacquard weave with water-repellent and statish proof performance.



Manufacturer	Sunbrella uphoistery
Price Group	Outdoor 4
Composition	100% Sunbrella [®] acrylic
Width	137 (EN 1773)
Weight	470 g/m2 ±5%
Roll length	35
Environment	Non PFAS, Water-Repellent & Stain-Proof
Spray Test	5 (ISO 4920)
Fastness to rubbing	Wet: 5, Dry: 5 (ISO 105 - X12)
Lightfastness outdoor	4-5 (ISO 105 B04 1000h)
Fastness to washing	5 (ISO 105 C06)
Piling	4 (ISO 129452)

Material Guide Wander



CONTACT

NORMANN COPENHAGEN

Niels Hemmingsens Gade 12, 1153 Copenhagen, Denmark

normann@normann-copenhagen.com +45 35 55 44 59

normann

COPENHAGEN