

m o o o i

Statistocrat Floor Lamp

ATELIER VAN LIESHOUT



The floor lamp's lean aluminium body is really multifunctional with its towering two meters and all-embracing light beams, the tallest shade projecting light towards the ceiling while the wider shade acts as the perfect reading lamp. And what about the two other shades? The lowest is no shade ... but a surprisingly useful side table. Perfect to support a laptop or your favorite drink, it's always in the spotlight!

Detailing




Statistocrat features Joep van Lieshout's signature raw weld finish.

Colours



RAL 1004
Golden yellow



RAL 1013
Oyster white



RAL 1023
Traffic yellow



RAL 1027
Curry



RAL 2000
Yellow orange



RAL 2002
Vermilion



RAL 2004
Pure orange



RAL 3003
Ruby red



RAL 3012
Beige red



RAL 5003
Sapphire blue



RAL 5008
Grey blue



RAL 6010
Grass green



RAL 6021
Pale green



RAL 7001
Silver grey



RAL 7011
Iron grey




RAL 7035
Light grey




RAL 7044
Silk grey



RAL 8001
Ochre brown



RAL 8014
Sepia brown




RAL 8016
Mahogany brown




RAL 9005
Jet black



RAL 9010
Pure white



RAL 9016
Traffic white




RAL 3015
Light pink



RAL 5024
Pastel blue

Statistocrat Floor Lamp

Dimensions



Product

WIDTH 130cm | 51.2"
HEIGHT 200cm | 78.7"
DEPTH 90cm | 35.4"
WEIGHT NETTO 23kg | 50.71lbs

Packaging

WIDTH 121cm | 47.6"
HEIGHT 215cm | 84.6"
CUBAGE 3.15m³ | 111.16ft³
LENGTH 121cm | 47.6"
WEIGHT 81kg | 178.57lbs

Technical CE

MATERIAL

Aluminium frame with structured matt powdercoating.

ENERGY LABEL

B

LIGHTSOURCE INCLUDED

Yes

INPUT VOLTAGE

180-240V

MAX POWER CONSUMPTION

40W

LIFETIME

50000 hours

PLUG TYPE

Europlug (Type-C)

SWITCH

In line on/off switch

CRI

80

LIGHT OUTPUT

1200 lm

LIGHTSOURCE TYPE

LED

NUMBER OF LIGHTSOURCES

3

FREQUENCY

50/60

LAMPHOLDER

LED (Solid state)

CABLE COLOUR

Black

CABLE LENGTH

300cm | 118.1"

COLOUR TEMPERATURE

2700 K (max)

LIGHT DIRECTION

All directions

DIMMING & LIGHTING CONTROL

Integrated dimmer

See last page for more information about the dimming possibilities.



Technical CU

MATERIAL

Aluminium frame with structured matt powdercoating.

ENERGY LABEL

B

LIGHTSOURCE TYPE

LED

LIGHTSOURCE INCLUDED

Yes

NUMBER OF LIGHTSOURCES

3

INPUT VOLTAGE

90-130V

FREQUENCY

50/60

MAX POWER CONSUMPTION

40W

LAMPHOLDER

LED (Solid state)

LIFETIME

50000 hours

CABLE COLOUR

Black

PLUG TYPE

US plug (Type A)

CABLE LENGTH

300cm | 118.1"

SWITCH

In line on/off switch

COLOUR TEMPERATURE

2700 K (max)

CRI

80

LIGHT DIRECTION

All directions

LIGHT OUTPUT

1200 lm

DIMMING & LIGHTING CONTROL

Integrated dimmer

See last page for more information about the dimming possibilities.

Dimming & Lighting Control

Integrated dimmer

Compatible models: Statistocrat Floor Lamp CE, Statistocrat Floor Lamp CU
