

# APPLIQUE À VOLET PIVOTANT

*Charlotte Perriand*

Wall lamps designed in 1962 by Charlotte Perriand for her mountain chalet in Méribel in the French Alps. Aluminum adjustable volet and metal structure. E14 version is equipped with integrated switch (on board), cable and plug for a simple and free installation. Indirect light output towards the wall and orientable flood beam.





# LED

## LAMPING

Source	LED board
Total power	10W
Emission	direct/indirect orientable
Switching	ON/OFF
Tension	110-240V
Color temperature	3000K
Luminous flux	235lm
Typ CRI	85
IP class	20
Dimensions	17x13x8cm
Materials	aluminium
Notes	White body
Net lamp weight	0,8 kg


## Codes

AVP LWD 31	white/natural anodized
AVP LWN 31	white/black anodized
AVP LWR 31	white/red
AVP LWG 31	white/yellow
AVP LWB 31	white/blue
AVP LWH 31	white/polished inox
AVP LWW31	white/white

## PACKAGE

Package 01	Dimension: 15x24x10 cm / Gross weight: 0,9 kg
------------	---

## Certificazioni



# E14 LED/HALO/FLUO

## LAMPING

Source	E14
Total power	8W
Emission	direct/indirect orientable
Switching	dimnable according to bulb
Tension	230V
IP class	20
Dimensions	17x13x8cm
Materials	aluminium
Notes	cable length 1,1m, switch on board, bulb Ømax 3cm (not included). With external cable plug (removable). White body. Red RAL3002, yellow RAL1033, blue RAL5002

## Codes

AVP EWN 31  
AVP EWD 31  
AVP EWR 31  
AVP EWG 31  
AVP EWB 31  
AVP EWH 31  
AVP EWW 31


## Structure/Diffuser

white/black anodized  
white/natural anodized  
white/red  
white/yellow  
white/blue  
white/polished inox  
white/white

## PACKAGE

Package 01 Dimension: 15x24x10 cm

## Certificazioni



## LED OUTDOOR

---

### LAMPING

Source	LED board
Total power	10W
Emission	direct/indirect orientable
Switching	dimnable TRIAC
Tension	110-240V
Color temperature	3000K
Luminous flux	235lm
Typ CRI	85
IP class	54
Dimensions	13x17x8,5cm
Materials	aluminium
Notes	white body, white RAL 9003, red RAL 3002, yellow RAL 1033, blue RAL 5002

### Codes

AVP LWN 34  
AVP LWD 34  
AVP LWW 34  
AVP LWR 34  
AVP LWG 34  
AVP LWB 34  
AVP LWH 34

### Structure/Diffuser

white/black anodized  
white/natural anodized  
white/white  
white/red  
white/yellow  
white/blue  
white/polished inox

### Certificazioni

